

# CONTENTS.

## CHAPTER I.

### *HISTORICAL SKETCH OF SOME OF THE MEANS THAT HAVE BEEN ADOPTED FOR THE SUPPLY OF WATER TO CITIES AND TOWNS.*

	PAGE
INTRODUCTION—ANCIENT WELLS—EGYPTIAN RESERVOIRS—POOLS OF JERUSALEM—AQUEDUCT OF CARTHAGE—GREECE: AQUEDUCT NEAR PATARA—ROME: ITS AQUEDUCTS; KNOWLEDGE OF THE PRINCIPLES AND ACTION OF THE SYPHON; DISTRIBUTION OF THE WATER—CONSTANTINOPLE: ITS RESERVOIRS, AQUEDUCTS, AND CISTERNS—ROMAN AQUEDUCTS IN SPAIN AND FRANCE—RUINS OF AQUEDUCTS IN PERU—INDIAN RESERVOIRS—WATER SUPPLY OF PARIS—WATER SUPPLY OF LONDON: SPRINGS, BROOKS, AND WELLS; CONDUIT HOUSES; CONVEYANCE OF WATER FROM 'TYBORNE'; THAMES WATER; WATER BROUGHT IN FROM HAMPSTEAD; LONDON BRIDGE WATERWORKS; YORK BUILDINGS WATERWORKS; MERCHANTS' WATERWORKS; NEW RIVER COMPANY; CHELSEA, LAMBETH, GRAND JUNCTION, WEST MIDDLESEX, EAST LONDON, SOUTHWARK AND VAUXHALL, AND KENT WATERWORKS COMPANIES; VARIOUS SCHEMES PROPOSED FOR THE SUPPLY OF WATER TO LONDON; JUDGMENT OF THE ROYAL COMMISSION—CONCLUSION . . . . .	1

## CHAPTER II.

### *WATER AND THE FOREIGN MATTER USUALLY ASSOCIATED WITH IT.*

CHEMICAL COMPOSITION AND PHYSICAL CHARACTERISTICS OF WATER—PHENOMENA OF FREEZING AND BOILING—LATENT HEAT OF WATER AND STEAM—SOLVENT POWER OF WATER—SOURCES OF WATER: RAIN; IMPURITIES OF RAIN WATER—LAKES, STREAMS, AND RIVERS: SOFT RIVER WATER FROM IMPERVIOUS DISTRICTS; EFFECT OF SOFT WATERS ON IRON PIPES; RIVER WATERS FROM DISTRICTS WHERE CARBONATE OF LIME PREVAILS; RIVER POLLUTION; ORGANIC IMPURITIES, AND THE CAPABILITY OF CHEMICAL ANALYSIS TO ESTIMATE THE SAME; ACTION OF ATMOSPHERIC OXYGEN IN RENDERING THE IMPURITIES INNOCUOUS; NITRATES AND NITRITES; ALBUMENOID MATTER; GERMS; MICROSCOPICAL EXAMINATION OF WATER—SPRING AND WELL WATER: IMPURITIES OF THE WATER FROM SHALLOW OR SURFACE WELLS; QUALITY OF DEEP WELL WATER FROM THE CHALK AND THE NEW RED SANDSTONE—ACTION OF WATER ON LEAD—DR. CLARKE'S SOAP TEST—TEMPORARY AND PERMANENT HARDNESS—HARD WATER <i>versus</i> SOFT, VIEWED WITH REGARD TO HEALTH, AND DOMESTIC AND MANUFACTURING ECONOMY—CLARKE'S SOFTENING PROCESS—ANALYSIS OF THE SOFTENED WATER FROM THE CANTERBURY WORKS . . . . .	18
---	----

## CHAPTER III.

### *RAINFALL AND EVAPORATION.*

EARLY OBSERVATIONS—VARIOUS DESCRIPTIONS OF RAIN GAUGES—EFFECT OF THE PHYSICAL CONFIGURATION OF THE DISTRICT ON RAINFALL—INFLUENCE OF RAILWAYS UPON WEATHER—TABLES OF RAINFALL IN VARIOUS DISTRICTS—DECADAL LAW OF RAINFALL—ESTIMATION OF THE MAXIMUM AND MINIMUM FROM THE MEAN ANNUAL FALL—AVAILABLE RAINFALL—DISTRIBUTION OF RAIN OVER THE VARIOUS SEASONS—MAXIMUM FALL IN TWENTY-FOUR HOURS—GAUGE FOR ASCERTAINING THE RATE OF FALL—EVAPORATION AND ABSORPTION—EVAPORATION FROM SURFACES OF WATER . . . . .	32
---	----

## CHAPTER IV.

### *SPRINGS; AND THE WATER-BEARING FORMATIONS OF VARIOUS DISTRICTS.*

INFILTRATION OF RAINFALL; EXPERIMENTS BY DICKENSON, DALTON, AND CHARNOCK; BARLOW'S SUGGESTIONS CONCERNING THE DALTON GAUGE; ESTIMATE OF ABSORPTION INTO THE TERTIARY SANDS AND GREENSANDS; ABSORBENT CAPACITIES OF VARIOUS ROCKS; EXPERIMENTS AS TO ABSORBENT CAPACITY OF SAND, BY PRESTWICH; AND OF CHALK, BY DR. SMITH—CAVERNS AND FISSURES IN LIMESTONE SPRINGS—WATER-BEARING STRATA—GENERAL CONDITIONS UNDER WHICH SPRINGS ARE FOUND; SPRINGS CAUSED BY FAULTS; ARTESIAN SPRINGS—RANGE, LITHOLOGICAL CHARACTER, AND HYDROGRAPHICAL CONDITIONS OF THE SEVERAL GEOLOGICAL FORMATIONS: ALLUVIUM; NEWER PLIOCENE; LATER TERTIARY DEPOSITS; DRIFT, RED CRAG, CORALINE CRAG, NORWICH CRAG, MIOCENE, EOCENE; BAGSHOT SANDS; THE LONDON CLAY; LOWER TERTIARY STRATA; THE CHALK, CHALK MARL, UPPER GREENSAND, GAULT, LOWER GREENSAND; THE WEALDEN; UPPER OOLITIC; PORTLAND STONE, PORTLAND SAND, KIMMERIDGE CLAY; THE MIDDLE OOLITIC; CORAL RAG, CALCAREOUS GRIT, OXFORD CLAY; LOWER OOLITIC; CORNBURASH, FOREST MARBLE, GREAT OR BATH OOLITE, FULLER'S EARTH; INFERIOR OOLITE AND SAND; LIAS BEDS; THE NEW RED SANDSTONE, OR TRIAS; THE MAGNESIAN LIMESTONE, OR PERMIAN GROUP; CARBONIFEROUS SERIES; COAL MEASURES, MILLSTONE GRIT, CARBONIFEROUS LIMESTONE; DEVONIAN OR OLD RED SANDSTONE; SILURIAN, CAMBRIAN, AND IGNEOUS ROCKS—CONCLUSION . . . . .	43
--	----

CHAPTER V.

MEASUREMENT AND ESTIMATION OF THE FLOW OF WATER.

WEIGHT OF WATER—UNITS OF VOLUME AND TIME—DISCHARGE—ACTION OF GRAVITY—THEORETICAL VELOCITY—PATH TRAVERSED BY A JET OF WATER ISSUING WITH A KNOWN VELOCITY—ORIFICES IN THIN PLATES, OR THIN-EDGED ORIFICES: COEFFICIENT OF VELOCITY; TRUE MEAN VELOCITY UNDER SMALL CHARGES; CONTRACTION OF THE FLUID VEIN; COEFFICIENT OF DISCHARGE; CIRCULAR ORIFICES; RECTANGULAR ORIFICES; TRUE MEAN VELOCITY; EXPERIMENTS BY PONCELET AND LESBROS—NOTCHES AND WEIRS: RECTANGULAR AND TRIANGULAR NOTCHES; RIGHT-ANGLED TRIANGULAR NOTCHES; EXPERIMENTS BY MESSRS. BLACKWELL AND SIMPSON, AND BOILEAU; SUPPRESSED CONTRACTION; VELOCITY OF APPROACH; SEPARATING WEIRS; SUBMERGED ORIFICES AND WEIRS—ADJUTAGES: CYLINDRICAL, CONICALLY CONVERGING, AND CONICALLY DIVERGING—SHOOTS—DISCHARGE UNDER A VARIABLE HEAD; TIME OF EMPTYING PRISMATIC AND OTHER RESERVOIRS; DISCHARGE FROM ONE VESSEL INTO ANOTHER—FLOW OF WATER THROUGH UNIFORM CHANNELS: MEAN VELOCITY DETERMINED BY MAXIMUM SURFACE VELOCITY; ACCELERATING AND RETARDING FORCES; MEAN VELOCITY OF FLOW IN RIVERS AND OPEN CHANNELS, AND THROUGH LONG AND SHORT PIPES; FRICTION CAUSED BY BENDS AND SUDDEN ENLARGEMENTS; TOTAL LOSS OF HEAD AND FINAL VELOCITY—DETERMINATION OF THE SECTION WHEN THE DISCHARGE AND HEAD ARE GIVEN . . .	PAGE, 68
---	-------------

CHAPTER VI.

ON THE SELECTION OF THE SOURCE OF SUPPLY.

INTRODUCTORY—ESTIMATION OF QUANTITY REQUIRED: POPULATION; CONSUMPTION PER HEAD FOR DIFFERENT PURPOSES; WASTE; CONSTANT AND INTERMITTENT SYSTEMS OF SUPPLY; CONSUMPTION IN LONDON; TRADE AND PUBLIC PURPOSES—QUALITY OF THE WATER—DELIVERY OF WATER UNDER PRESSURE—VARIOUS SOURCES—GRAVITATION SCHEMES: CATCHMENT AREA; MEAN AND AVAILABLE RAINFALL; GAUGING STREAMS; COMPENSATION; STORAGE CAPACITY IN RELATION TO DRAINAGE AREA; ILLUSTRATIONS; PURIFICATION AND DISTRIBUTION—RIVER SCHEMES: FLOW FROM LARGE DISTRICTS; MEASUREMENT OF THE FLOW OF RIVERS; NECESSITY FOR PUMPING; INTAKES; CHICAGO—SPRINGS—WELL SCHEMES—MISCELLANEOUS . . . . .	83
--	----

CHAPTER VII.

WELLS.

DIFFERENT KINDS OF WELLS—SHALLOW WELLS: THEIR LIABILITY TO BE CONTAMINATED WHEN IN CERTAIN LOCALITIES; YIELD OF SHALLOW WELLS; 'DRIP-WATER.'—DEEP WELLS SUNK UNDER VARIOUS CONDITIONS: FAULTS—ARTESIAN WELLS: LONDON AND PARIS BASINS; OTHER CONDITIONS GIVING RISE TO ARTESIAN WELLS; 'BLOW' WELLS.—CHANCES OF FAILURE: FAULTS; DEEP WELL AT ST. LOUIS, U.S.; RIDGE OF OLD ROCKS UNDER THE LONDON BASIN.—YIELD OF WELLS: QUANTITY OF WATER PASSING INTO THE STRATUM; INFILTRATION OF TIDAL AND OTHER WATERS; LINE OF SATURATION; CONE THEORY; UNITED EFFECT OF PUMPING FROM NEIGHBOURING WELLS; MEANS AVAILABLE FOR INCREASING THE YIELD OF A WELL; HEADINGS <i>versus</i> ADDITIONAL BORING; HOW THE YIELD OF WELLS SHOULD BE RECORDED; TEMPERATURE OF WELL WATER.—WELL SINKING: EXCAVATING; FORM OF WELL AND HEADINGS; MATERIALS USED FOR STEINING WELLS; METHOD OF PROCEEDING WITH THE WORK; CAST AND WROUGHT IRON CYLINDERS; DIAMETER OF A WELL; CARBONIC ACID IN WELLS.—WELL BORING: CHINESE SYSTEM AND ITS DEFECTS; ROD SYSTEMS; RODS, THEIR JOINTING, DIMENSIONS, AND RESISTANCE TO TORSION; BORING TOOLS; THE 'MISER'; ADVANTAGES OF SINKING A WELL PREVIOUS TO BORING; SHELL-PUMPS; MODIFICATIONS IN BORING APPARATUS BY M. KIND AND M. DRU; MATHER'S BORING APPARATUS; FAUVELLE'S SYSTEM; RECOVERY OF BROKEN RODS AND TOOLS FROM BORE-HOLES; WROUGHT AND CAST IRON BORE-PIPES; COST OF SINKING AND BORING. . . . .	95
---	----

CHAPTER VIII.

RESERVOIRS.

DIFFERENT KINDS OF RESERVOIRS—AVAILABLE CAPACITY—STORAGE RESERVOIRS: CAPACITY; VARIOUS METHODS AND RULES—COMPENSATION RESERVOIRS—DEPOSITING RESERVOIRS; THEORY, DIMENSIONS AND PROPORTIONS; AREA RELATIVELY WITH FILTER BEDS—SERVICE RESERVOIRS: THEIR VARIOUS USES; CAPACITY REQUIRED—NATURAL RESERVOIRS OR LAKES: SALMON STAIRS—SEMI-NATURAL RESERVOIRS: THEORY AND CONSTRUCTION OF EARTHWORK AND MASONRY DAMS; PUDDLE WALLS; SPRINGS ON THE SITE OF THE DAM; OUTLET ARRANGEMENTS; WASTEWEIF AND BYEWASH; SYPHON WEIR; SEPARATING WEIR—RESERVOIRS ENTIRELY ARTIFICIAL: ECONOMICAL PROPORTIONS; COST; COVERING; REGULATOR—WATER TOWERS . . . . .	115
---	-----

CHAPTER IX.

THE PURIFICATION OF WATER.

INTRODUCTION—VARIOUS METHODS OF PURIFICATION: DISTILLATION, AERATION, PRECIPITATION, STRAINING, FILTRATION—THEORIES OF THE ACTION OF SAND FILTERS, CHARCOAL FILTERS, AND 'CARBIDE' FILTERS—FILTRATION THROUGH NATURAL STRATA: FILTERING GALLERIES AT GENOA, TOULOUSE, LYONS, PERTH—FILTRATION THROUGH ARTIFICIAL STRATA OF SAND AND GRAVEL: EARLY FAILURES AT GLASGOW; FIRST FILTERS OF THE CHELSEA WATERWORKS COMPANY; RATE OF FILTRATION; FILTERING MEDIA OF THE METROPOLITAN COMPANIES—CONSTRUCTION OF FILTER BEDS: HEAD AND DEPTH OF WATER; INLET ARRANGEMENTS; DRAINS AND CULVERTS: AIR PIPES, OVERFLOWS, AND WASH-OUTS; CLEANSING FILTER BEDS; SAND WASHING APPLIANCES; CLEANSING BY BACK-FLOW; GREENOCK WATERWORKS; DUNKERQUE WATERWORKS; LEGHORN WATERWORKS; WAKEFIELD WATERWORKS; COST OF FILTRATION . . . . .	136
---	-----

CHAPTER X.

PUMPS.

VALVE PUMPS: LIFT AND FORCE PUMPS; BUCKET PUMPS; PLUNGER PUMPS; DOUBLE-ACTING PUMPS; BUCKET-AND-PLUNGER PUMPS; PISTON-AND-PLUNGER PUMPS—PUMP VALVES: FLAP VALVES; POT-LID, DOUBLE-BEAT AND FOUR-BEAT VALVES; VARIOUS INDIA-RUBBER VALVES—POINTS TO BE REGARDED IN DESIGNING PUMP WORK—AIR VESSELS AND STAND PIPES—CENTRIFUGAL PUMPS: FORM OF VANES; PRACTICAL EXAMPLES OF CENTRIFUGAL PUMPS . . . . .	PAGE 147
---	-------------

CHAPTER XI.

PUMPING MACHINERY.

ANIMAL POWER—WIND POWER—WATER POWER: VERTICAL WHEELS; TURBINES; PRESSURE ENGINES—STEAM POWER: SINGLE-ACTING NON-ROTATIVE ENGINES; DOUBLE-ACTING NON-ROTATIVE ENGINES; DOUBLE-ACTING ROTATIVE ENGINES; VERTICAL AND HORIZONTAL ENGINES; THE CORNISH AND THE DOUBLE-CYLINDER ROTATIVE ENGINE; PUMPS WORKED BY DIFFERENT KINDS OF ENGINES; BOILERS	158
---	-----

CHAPTER XII.

CONDUITS.

CONSIDERATIONS AFFECTING THE CHOICE OF A ROUTE—STABILITY OF THE BED OF THE CONDUIT—CROSS SECTIONS OF CONDUITS OF GLASGOW, ABERDEEN, MARSEILLES; CONDUITS OF THE PROPOSED WELSH AND LAKE SCHEMES FOR THE METROPOLIS, AND THEIR COST—OPEN <i>versus</i> COVERED CONDUITS—TUNNELS—AQUEDUCTS: ROQUEFAYOUR; LOCH KATRINE; PIPE AQUEDUCTS—EARTHENWARE PIPE CONDUITS—CONTROLLING APPARATUS . . . . .	169
---	-----

CHAPTER XIII.

DISTRIBUTION OF WATER.

ACTUAL DISCHARGE FROM MAINS, COMPARED WITH THE USUAL FORMULÆ—DETERMINATION OF THE DIAMETERS OF WATER MAINS—CORROSION AND FURRING-UP OF MAINS—MEANS AND APPARATUS FOR REMOVING ACCUMULATIONS—CONDITIONS TO BE OBSERVED IN CASTING PIPES—APPARATUS FOR TESTING PIPES WITH HYDRAULIC PRESSURE—FORMULÆ FOR CALCULATING THE THICKNESS OF PIPES—INSTRUMENTS FOR GAUGING THE THICKNESS OF PIPES—VARIOUS KINDS OF JOINTS—APPARATUS FOR TAPPING MAINS WHILST UNDER PRESSURE—SAFETY VALVES—REFLUX OR STOP-BACK VALVES—BY-PIPES—SLUICE VALVES—HYDRANTS AND FIRE COCKS—STREET-WATERING APPARATUS . . . . .	179
--	-----

CHAPTER XIV.

METERS, SERVICE-PIPES, AND HOUSE FITTINGS.

INTRODUCTION—WATER METERS: HIGH AND LOW PRESSURE METERS; POSITIVE AND INFERENTIAL METERS; KENNEDY'S, WINSBARROW'S, THE MANCHESTER METER, SIEMENS & ADAMSON'S, PONTIFEX & WOOD'S, HORSLEY'S, THE EUREKA; REMARKS ON POSITIVE <i>versus</i> INFERENTIAL METERS; LOW-PRESSURE METERS; RELATIVE VALUE OF HIGH AND LOW PRESSURE METERS; APPLICATION OF METERS; DEACON'S WASTE-WATER METER; ADVANTAGE OF INSPECTION BY METER—HOUSE SERVICES: IRON, LEAD, AND TIN-LINED LEAD SERVICES; MEDICAL TESTIMONY ON THE USE OF LEAD PIPES; EXPERIMENTS ON LEAD AND TIN-LINED LEAD PIPES; HEAP'S PATENT JOINT FOR LEAD PIPES; MOORE'S PIPE PROTECTOR; COMMON'S DIUTO—FERRULES—STOP COCKS: BIB COCKS AND TAPS; SELF-CLOSING TAPS; BALL COCKS—CISTERNS: IRON, LEAD-LINED, SLATE, AND EARTHENWARE—WASTE PREVENTERS: CHANDLER'S, DALZIELL'S; DOUBLE CISTERN AND WASTE PREVENTERS FOR CLOSETS: PINN'S APPARATUS . . . . .	202
--	-----

CHAPTER XV.

THE LAW AND ECONOMY OF WATERWORKS.

SUMMARY OF THE LAWS AFFECTING WATERWORKS—COST OF NUMEROUS GRAVITATION, PUMPING, AND COMBINED GRAVITATION AND PUMPING WORKS—FORMS OF WATER COMPANIES' ACCOUNTS—RATES CHARGED IN VARIOUS BRITISH AND CONTINENTAL TOWNS—PUBLIC <i>versus</i> PRIVATE OWNERSHIP—FALSE ECONOMIES. . . . .	219
--	-----

ADDENDA TO CHAPTER XV.

THE LAWS AND ECONOMY OF WATERWORKS.

PUBLIC HEALTH ACT 1875. . . . .	244
---------------------------------	-----

## CHAPTER XVI.

## CONSTANT AND INTERMITTENT SUPPLY.

INTERMITTENT SUPPLY: CHARACTERISTIC FEATURE; REASONS FOR ADOPTING; REGULATION OF SERVICE; COMPLAINTS AGAINST THE SYSTEM; THE LONDON WATER COMPANIES AND THE SMALL HOUSES; WASTE; PURITY OF THE WATER; EXTINCTION OF FIRES—CONSTANT SUPPLY: DEFINITION; GREAT ADVANTAGE OF THE SYSTEM; ASSOCIATED WITH HIGH PRESSURE; LIABLE TO BE RENDERED INCONSTANT BY MISHAPS, &c.; CONSUMPTION; CASES OF CHANGING FROM INTERMITTENT TO CONSTANT AND FROM CONSTANT TO INTERMITTENT; INCREASE IN CONSUMPTION WITH THE PRESENT FITTINGS; EXPERIMENTS WITH THE CONSTANT SERVICE IN LONDON; GREAT WASTE UNDER THE CONSTANT SERVICE AT GLASGOW, EDINBURGH, CROYDON, BRIGHTON, &c.; SUCCESS OF CONSTANT SERVICE AT CAMBRIDGE, NEWCASTLE, SHEFFIELD, &c.; IMPORTANCE OF STRICT REGULATIONS; REGULATIONS AT CAMBRIDGE WITH REGARD TO FITTINGS; RULES AND REGULATIONS OF THE NORWICH WATERWORKS COMPANY; INSPECTION BY WATERWORKS AUTHORITIES; THE CHANGE FROM AN INTERMITTENT TO A CONSTANT SYSTEM; THE TWO SYSTEMS COMPARED. . . . .	PAGE 247
--	-------------

## CHAPTER XVII.

## DESCRIPTION OF PLATES.

WELLS: RESERVOIR DAMS AND FILTER BEDS. BRADFORD AND SHEFFIELD WATERWORKS: DAMS, &c.; BOMBAY WATERWORKS: DAM AND TOWER; NEW RIVER COMPANY'S FILTER BEDS: LEICESTER WATERWORKS: FILTER BEDS AND SPENCER'S CARBIDE FILTER; COVERED RESERVOIRS: DIAGRAMS OF PUMPING ENGINES: EASTBOURNE WATERWORKS: ENGINE AND PUMPS; LAMBETH WATERWORKS: ENGINE AND PUMPS; STAND PIPES AND AIR VALVES: MAINS: DUBLIN WATERWORKS: VALVES; LIVERPOOL WATERWORKS: VALVES, &c.; STREET APPENDAGES: HYDRANTS, METERS, &c.; BIDEFORD WATERWORKS: GENERAL PLAN AND SECTIONS; RESERVOIR DAM; FILTER BEDS AND SERVICE RESERVOIR; DUNDEE WATERWORKS: PLAN OF STORAGE RESERVOIR: EMBANKMENT, &c.; ROTHERHAM WATERWORKS: PLAN OF STORAGE RESERVOIR; SECTIONS OF EMBANKMENT, BYEWASH, &c.; VALVE WELL, FOOT BRIDGE, FILTER BEDS, &c.; PORT GLASGOW WATERWORKS: EMBANKMENT, FILTERS, &c.; MANCHESTER WATERWORKS: RESERVOIRS, EMBANKMENTS, SLICES, VALVES, COMPENSATION GAUGES, &c.; LOCH KATRINE WATERWORKS: GAUGE WEIR, AQUEDUCT, BRIDGE, &c.; INLET SLUICE, SALMON STAIRS, SECTIONS OF AQUEDUCT, &c.; SLUICE VALVES, STRAINING WELL, &c.; HALIFAX CORPORATION WATERWORKS: PLAN OF RESERVOIRS, WASTE WEIR, SECTION OF EMBANKMENT, &c.; FOOT BRIDGE, VALVE WELL, &c.; ABERDEEN WATERWORKS: SERVICE RESERVOIR, INTAKE, RESERVOIR EMBANKMENT, INLET DETAILS, FILTERS, &c.; CAST-IRON AQUEDUCT, &c.; HIGH SERVICE RESERVOIR, SECTIONS, DETAILS, &c.; SECTIONS OF AQUEDUCT, CULVERTS, AND OVERFLOW TANKS; COCKERMOUTH WATERWORKS: RESERVOIR AND FILTER BEDS; SUNDERLAND WATERWORKS: PLAN, SECTIONS, DETAILS OF SERVICE RESERVOIR, &c.; ENGINE AND BOILER HOUSE; CHIMNEY SHAFT, &c.; ENGINE AND BOILER HOUSE; DETAILS OF ENGINE FRAME, &c.; SECTIONS OF WELL AND STAPLE, SHOWING PUMPS, &c.; DETAILS OF PUMPS, &c.; CANTERBURY WATERWORKS: DEPOSITING AND LIME WATER RESERVOIRS; GENERAL PLAN, &c.; DEPOSITING AND LIME WATER RESERVOIRS; ENGINE AND BOILER HOUSE, &c.; ENGINE, BOILER, AND WELL HOUSES; SERVICE RESERVOIRS AND FILLING PIPES; PUMPS; EMPTYING PIPES FOR DEPOSITING RESERVOIRS, &c.; DR. CLARKE'S SOFTENING PROCESS: PLANS AND SECTIONS OF DEPOSITING, LIME-WATER AND SERVICE RESERVOIRS, &c.; WATER TOWERS: WALLASEY, CROYDON, BIRKENHEAD . . . . .	261
APPENDIX A.—TABLE SHOWING THE MEAN VELOCITIES OF WATER FLOWING IN PIPES AND OTHER UNIFORM CHANNELS . . . . .	293
APPENDIX B.—TABLE SHOWING SUPPLY PER MINUTE, DAY, AND YEAR; AND DRAINAGE AREA REQUIRED FOR A GIVEN POPULATION . . . . .	294
APPENDIX C.—TABLE SHOWING THE SIZE, WEIGHT, SAFE-HEAD, AND STRENGTH OF CAST-IRON WATER PIPES . . . . .	295
APPENDIX D.—TABLE SHOWING THE COST OF CAST-IRON PIPES FROM 2 TO 48 INCHES DIAMETER; GIVING THE LENGTH OF EACH PIPE; THICKNESS; SAFE-HEAD; WEIGHT PER PIPE; AND COST PER YARD AT £5 PER TON, AND ALSO AT £1 PER TON . . . . .	296

## APPENDIX E.

## SPECIFICATIONS OF WATERWORKS.

GOSPORT WATERWORKS: WELLS . . . . .	(JAMES PILBROW, ENGINEER) . . . . .	297
BROMPTON, CHATHAM, GILLINGHAM, AND ROCHESTER WATERWORKS: SERVICE RESERVOIR . . . . .	(JAMES PILBROW, ENGINEER) . . . . .	298
LAMBETH WATERWORKS: DECIMUS BURTON ROAD RESERVOIR . . . . .	(JAMES SIMPSON, ENGINEER) . . . . .	300
DUBLIN CORPORATION WATERWORKS: SOCKET PIPES AND OTHER CASTINGS; PIPE-LAYING, &c. . . . .	(PARKE NEVILLE, ENGINEER) . . . . .	302
BIDEFORD WATERWORKS: IMPOUNDING RESERVOIR; FILTER BEDS AND A COVERED SERVICE RESERVOIR; CAST-IRON SOCKET PIPES, AND GLAZED AND UNGLAZED SOCKET PIPES; LAYING AND JOINTING MAINS; SLUICE VALVES, HYDRANTS, &c. . . . .	(BALDWIN LATHAM, ENGINEER) . . . . .	313
DUNDEE WATERWORKS: STORE AND COMPENSATION RESERVOIR . . . . .	(JAMES LESLIE, ENGINEER) . . . . .	322
ROTHERHAM WATERWORKS: RESERVOIR, FILTER BEDS, PURE WATER BASIN, OVERFLOWS, EARTHENWARE, AND CAST-IRON PIPE CONDUITS AND OTHER WORKS . . . . .	(MESSRS. LAWSON AND MANSERGH, ENGINEERS) . . . . .	325
ABERDEEN WATERWORKS: INLET TANKS, AQUEDUCT, RESERVOIRS, FILTERS, CAST-IRON AQUEDUCTS, CAST-IRON PIPES, AND PIPE-LAYING EMBANKMENTS, WITH DRY-RUBBLE HEARTING CULVERTS; HYDRAULIC ENGINE AND PUMPS AND BUILDINGS: ENGINES, &c. . . . .	(JAMES SIMPSON, ENGINEER) . . . . .	335
CANTERBURY WATERWORKS: CAST-IRON PIPES . . . . .	(SAMUEL C. HOMERSHAM, ENGINEER) . . . . .	348
HALIFAX CORPORATION WATERWORKS: FLOOD AND WASTE WATERCOURSES; WASTE WEIRS; TWO RESERVOIRS; SHAFTS; TUNNELS; PIPE-LAYING, BASIN; DIVERSION OF FULSHAW STREAM; PIPE-LAYING; WEIRS, &c. . . . .	(JOHN F. BATEMAN, ENGINEER) . . . . .	350
INDEX . . . . .		367