

Post- fl.	Hohl- röhre	Rauch- röhre			Rohr- länge	Kes- selm- über S. C.	Achsstand		Lokgewichte		gr. Rad- druck	Kenn- ziffer		Quellenangabe	Anmerkung		
		Z.	Ø	mm			fest	ganz	Dien- st	Reib- ganz		t	t			C ₁	C ₂
7,25	209	57	42	140	6401	5029	10871	141,3	104,3	13,04	2240	21,5	RAG.19,S.317;Org.20,S.207				
7,25	273	57	30	152	6401	5105	10897	137,6	104,6	13,09	2528	24,2	RAG.12,S.1045;Org.13,S.382				
5,85	303	51	43	137	5486	5180	10720	142,0	107,0	13,38	2409	22,5	Org.19,S.48;Lok.14,S.62				
6,60	237	57	40	140	5791	2972	5194	11087	142,9	108,0	13,60	2220	21,1	RAG. Bd. 57, 14, S.12;Org.14,S.441			
6,20	238	57	40	140	5791	2972	5194	11087	142,9	108,0	13,60	2220	21,1	Org.12,S.450;Lok.14,S.68			
6,54	213	57	40	140	5791	2972	5194	11087	142,9	108,0	13,60	2220	21,1	RAG.13,S.377;Org.14,S.182			
6,54	213	57	40	140	5791	2972	5194	11087	142,9	108,0	13,60	2220	21,1	RAG.13,S.997;Org.14,S.66;Lok.14,S.66			
5,54	213	57	43	137	6401	2972	5028	10998	176,0	111,0	13,88	2240	20,2	RAG.15,S.862;Org.17,S.187			
5,54	213	57	30	133	6283	2959	5562	12039	127,7	87,1	10,89	1172	13,5	Org.19,S.48;Schw.B.Z.18,S.235			
6,20	193	57	36	140	6400	5486	11862	142,6	95,2	11,90	1710	18,0	RAG.15,S.87;Org.17,S.182				
6,20	193	57	34	140	6096	3048	5487	11862	143,3	95,5	11,93	1930	19,5	RAG.14,S.1047;Org.17,S.151			
7,25	283	51	40	140	6248	3048	5106	11590	147,9	98,9	12,36	2610	26,4	RA.20,S.609			
6,54	216	57	40	140	6250	3000	5563	12192	148,9	99,3	12,41	1910	19,3	Lok.15,S.45			
5,81	207	57	39	140	6653	3060	5469	11862	151,0	101,8	12,69	2032	20,6	RAG.19,S.1193;RA.21,S.608;Org.20,S.207			
6,53								12192	148,3	101,8	12,73	2040	20,0	Lok.20,S.163			
6,60								160,0	100,0	12,90	2040	19,8	Org.19,S.48;Lok.14,S.59;Schw.B.Z.18,S.235				
7,80	239	57	48	140	6706	3150	3860	12572	156,5	104,3	13,04	2082	20,0	Lok.20,S.163			
6,20	243	57	40	140	5790	3048	5030	11405	156,0	106,0	13,20	2040	19,3	Org.19,S.48;Lok.14,S.59;Schw.B.Z.18,S.235			
7,10								149,7	108,4	13,55	2490	22,6	Lok.20,S.163				
5,85	216	54	45	140	6833	3112	6046	12497	167,4	114,8	14,35	1910	16,7	RA. Bd. 70, 21, S.447;Bd. 71, 21, S.1185;Handb. S.516			
5,50	244	57	48	138	5790	2978	6910	9804	154,9	105,4	16,84	3095	18,4	Org.21,S.256			
4,44	251	57	36	140	6401	2997	6020	10922	134,2	113,3	11,38	2805	24,5	Org.13,II,S.167;Org.14,S.123			
7,45	337	51	50	137	6182	2997	4572	12201	159,9	135,4	13,54	2805	20,7	RAG.16,S.887;Org.17,S.353			
8,16	284	57	45	140	6896	3225	6225	11217	171,0	136,0	13,60	3058	22,5	RAG. Bd. 57, 14, S.387;Org.16,S.286;Lok.14,S.32			
6,20	284	57	60	140	6182	5029	12258	181,9	152,2	15,22	3142	20,6	RAG.17,S.887;Org.17,S.374				
6,20	284	57	48	140	7010	3225	6400	12270	184,2	152,8	15,28	3200	21,1	RAG. Bd. 57, 14, S.242;Org.19,S.48;Schw.B.Z.18,S.221			
7,25	282	57	48	140	7010	3225	5029	12622	194,4	153,1	15,31	3142	20,5	Eng.18,S.82;Org.18,S.163;Handb. S.543			
7,25	282	57	54	140	6369	3080	6756	12789	197,5	159,4	15,94	2991	18,8	Org.20,S.124			
7,25	282	57	50	140	6401	3120	6960	12903	184,9	175,0	17,50	2695	16,2	Org.19,S.323;21,S.255			
5,80								14248	160,0	136,0	11,33	5440	40,0	Lok.14,S.71			
7,09	247	57	45	140	7315	3073	3200	15164	203,2	162,4	13,03	4435	27,3	RAG.19,S.231;Org.20,S.149			
7,09	247	57	42	140	7315	3124	4496	12251	207,0	207,0	12,93	5960	28,9	Org.12,S.56;Lok.14,S.71			
7,09	247	57	45	140	7010	3048	4496	12281	211,3	211,3	13,21	5700	27,1	RAG.14,S.1335;Org.14,S.442			
7,17	332	57	42	140	7315	5029	16002	204,1	190,5	11,90	5775	30,3	Org.13,S.442				
8,16	284	57	48	140	7315	4725	15372	219,1	208,4	13,02	4510	21,6	RAG. Bd. 61, 16, S.145;Eng.18, II, S.232;Org.20,S.197				
8,16	284	57	83	137	5791	5120	16675	260,8	244,9	15,30	6190	25,6	RAG.19,S.1675;Org.20,S.182				
7,25	283	57	48	140	7315	4572	17190	194,0	170,2	10,82	5310	31,2	Gen. cv. 19, S.422;Org.20,S.31				
7,30	277	57	50	140	7010	4572	17018	171,7	197,3	12,53	5941	20,1	RAG.15,S.377;Org.14,S.141				
4,00								16967	212,9	195,2	12,19	5800	29,7	RAG.16,S.985;Org.17,S.52			
7,25	283	57	45	140	7315	4572	17501	218,9	198,5	12,40	4700	23,7	Rev. gen. 21, S.177				
7,30	277	57	53	140	7541	4725	17501	218,9	211,8	13,23	6390	30,2	RAG.12,S.377;Org.12,S.384				
7,30	277	57	53	140	7541	4725	17501	218,9	211,8	13,23	6390	30,2	RAG.19,S.317;Org.20,S.219				
8,16	284	57	48	140	7315	3239	4724	17282	204,0	216,0	13,50	7130	28,2	Org.13,S.299;Lok.14,S.70			
8,16	284	57	53	140	7315	3226	4725	17475	237,5	211,8	13,23	6390	30,2	Lok.15,S.240			
8,16	284	57	53	140	7315	3226	4725	17475	237,5	211,8	13,23	6390	30,2	Eng.20, I, S.381;Handb. S.546			
8,16	284	57	70	140	7620	3327	6070	19585	310,5	280,1	14,01	16960	49,2	Org.15,S.124;Lok.14,S.213;20,S.84;G1. Ann. Bd. 81, 17, S.39;Handb. S.548			
8,16	284	57	50	140	7310	3226	5028	27430	386,6	346,0	14,40	16960	49,2	Eng. N. 17, S.417;Eng. 17, I, S.244;ZVDI. 17, S.501;Org.17,S.282;Lok.20,S.84			
8,16	284	57	65	140	7600	3280	4647	27837	382,0	329,5	13,72	17100	51,9				

