Influence of cognitive variables in a Brain-Computer Interface driven application

D. De Rosa Saccone^{1*}, L. Tonin², E. Menegatti²

¹University of Trento, Rovereto, Italy; ²Intelligent Autonomous Systems Lab, Department of Information Engineering, University of Padova, Padova, Italy.

*Via Ognissanti 72, IT-35129, Padova, Italy E-mails: davide.derosasaccone@email.it luca.tonin@dei.unipd.it

Introduction:

Sensorimotor rhythms Brain-Computer Interfaces (SMR-BCIs) allow users to actively control a device with cortical, muscle independent, activity. This characteristic has drawn attention to possible uses within environments richer and more interactive than laboratories, in particular for unpaired people. Nevertheless rates of success in using BCI vary widely and, although it has been demonstrated that several cognitive variables might affect BCI performances [1], such a relationship has not been fully investigated in interactive BCI driven applications.

Participants and method:

Data were acquired from ten subjects (four female, average age 23.1 ± 2.9 years). Participants gave informed consent to the study and received no remuneration. They performed three recording sessions of a two-classes SMR-BCI [2]: in the first session (CALIBRATION condition) 4 offline runs with positive feedback were exploited to calibrate the system; the second session (ONLINE condition) was devoted to test the BCI online with a cue-based visual protocol (4 runs of 30 items each); finally, the third session involved the control of the BCI Race Game "Brainrunners" of the Cybathlon Rehearsal 2015 (http://www.cybathlon.com). The videogame consisted in making a virtual avatar avoid obstacles by delivering the correct BCI commands. In this session, subjects performed 3 runs without opponents (GAME-SOLO condition, 42 items) and 3 runs playing versus virtual opponents (GAME-GROUP condition, 42 items).

For the psychological data acquisition, we used the Questionnaire of Current Motivation BCI edition (QCM-BCI) to investigate motivation [3], The Positive and Negative Affect Schedule (PA and NA) to assess mood [4] and the Mini Locus of Control Scale [5].

Results and discussion:

Results show a significant decrease of the BCI accuracy in the GAME-GROUP condition versus the ONLINE condition (p<0.01). Performance in the ONLINE condition correlates positively with the PA scale (r = 0.645, p<0.05) and the QCM-BCI Mastery Confidence (r=0.676, p<0.05) and negatively with the NA scale (r= -0.74, p < 0.05) and the QCM-BCI Fear of Incompetence scale (r= -0.539, p < 0.05). Overall performance moderately correlates with Internal Locus of Control (r=0.38, p<0.01).

Results show how cognitive variables affect the performance during an SMR-BCI task. However no effect could be observed in the GAME condition, probably due to the difficulty of the task and the increasing number of visual stimuli that need to be processed. Although we cannot exclude that such psychological variables influence BCI accuracy, external and environment-related conditions (e.g. competitiveness, application complexity) may be predominant.

| Condition | | S1 | S2 | S3 | S4 | S 5 | S6 | S7 | S8 | S9 | S10 | Average |
|------------|-----|-----------|-----------|-----------|-----------|------------|-----------|-----------|-----------|-----------|------------|--------------------|
| ONLINE | [%] | 95.0 | 65.0 | 95.0 | 89.2 | 95.0 | 80.8 | 97.5 | 100.0 | 78.3 | 99.2 | $89.5 \pm 11.35^*$ |
| GAME-SOLO | [%] | 83.3 | 50.0 | 42.9 | 59.5 | 100.0 | 73.8 | 90.5 | 100.0 | 78.6 | 92.9 | 77.1 ± 20.4 |
| GAME-GROUP | [%] | 85.7 | 42.9 | 28.6 | 52.4 | 100.0 | 61.9 | 100.0 | 100.0 | 90.5 | 92.9 | $75.5 \pm 26.7*$ |

Table 1. Percentage of correct commands delivered for each condition. Statistical significance has been found between ONLINE and GAME-GROUP conditions (* p<0.01).

Acknowledgement:

We thank René Bauer (rene.bauer@zhdk.ch) and Ulrich Götz (ulrich.goetz@zhdk.ch), Specialization in Game Design at the Zurich University of the Arts (ZHdK), for providing the BCI Race Game "Brainrunners" and Cybathlon, ETH Zurich. Furthermore, we thank g.Tec Medical Engineering Company (Austria) for hardware support and CNBI Lab (EPFL, Switzerland) for providing part of the BCI system code.

References:

- [1] Kleih S, et al. Motivation influences performance in SMR-BCI. Proceedings of the 5th International Brain-Computer Interface Conference, 108–115, 2011

[4] Watson D, et al. Development and validation of brief measures of positive and negative affect: the PANAS scales. Journal of personality and social psychology, 54(6), 1063, 1988.

[5] Perussia F, et al. Teorie e metodi della psicologia italiana. Tendenze attuali. Milano, F. Angeli, 2008.

^[2] Leeb R, et al. Towards Independence: A BCI Telepresence Robot for People With Severe Motor Disabilities. *Proceedings of the IEEE*, 103(6), 969-982, 2015.

^[3] Nijboer F, et al. A P300-based brain-computer interface for people with amyotrophic lateral sclerosis. *Clinical neurophysiology*, 119(8), 1909-1916, 2008.